® MADE IN ITALY
AC Automotive COMPONENTS

mrs Automotive

MACCHINE ROTANTI

2017

www.acmrs.com

MRS Automotive

Alternatori e Motorini d'avviamento nuovi

MRS propone una gamma di macchine rotanti nuove in alternativa ai prodotti originali o rigenerati, offrendo al mercato articoli con un elevato standard qualitativo ad un prezzo adeguato.

Accurata selezione dei fornitori e uso di componenti OE dove richiesto

- Regolatori di tensione di propria produzione
- Test con parametri OE a fine linea su ogni unità prodotta
- Banchi di collaudo D&V Electronics (Canada)
- Omologazione CE per alcune famiglie di alternatori
- Nessun costo di gestione per le carcasse
- Packaging accurato
- Gamma in costante aggiornamento
- Ricerca e Sviluppo interno

AL05004Y

12V 120A PVR5 Clutch

REPLACING

0123515008
BOSCH



MAIN APPLICATION

A4 - Passat 1.9TDI

AL05005Y

12V 90A PVR6 Standard

REPLACING

0123320007
BOSCH



MAIN APPLICATION

A4 - Passat 1.9TDI

AL05006Y

12V 90A PVR6 Standard

REPLACING

0123335006
BOSCH



MAIN APPLICATION

E-C Class, Sprinter 1.8-2.0-2.2-2.3

AL05010Y

12V 120A PVR6 Clutch

REPLACING

0123515020
BOSCH



MAIN APPLICATION

Golf III 1.9TDI

AL05011Y

12V 98A PVR6 Clutch

REPLACING

0124415041
BOSCH

MAIN APPLICATION

Megane, Scenic 1.4-1.6 16v

AL05014N

12V 70A PVR6 Standard

REPLACING

0123310012
BOSCH

MAIN APPLICATION

Berlingo-Expert-Scudo 1.9TD

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL05015Y

12V 90A PVR6 Clutch

REPLACING

0123320046
BOSCH



MAIN APPLICATION

E-C Klass 2.2D - 2.5D

AL05017Y

12V 120A PVR6 Clutch

REPLACING

0124325130
BOSCH

MAIN APPLICATION

A1 - A3 1.6-1.9-2.0TDI

AL05018Y

12V 90A PVR6 Clutch

REPLACING

0124325101
BOSCH

MAIN APPLICATION

A3 - Ibiza III/IV - Bora 1.9TDI 1.9SDI

AL05020Y

12V 90A PVR6 Clutch

REPLACING

0124325012
BOSCH

MAIN APPLICATION

A2 - Ibiza - Fabia - Polo 1.2-1.4 TDI

AL05021Y

12V 90A PVR6 Standard

REPLACING

0124315003
BOSCH

MAIN APPLICATION

A2, A3, Ibiza, Octavia 1.4-1.6-1.8

AL05022Y

24V 80A NO

REPLACING

0120468124
BOSCH

MAIN APPLICATION

Eurocargo, Eurostar

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL05023Y

12V 90A PVR6 Clutch

REPLACING

0123320041
BOSCH



MAIN APPLICATION

E-C Klass, Sprinter 2.0-2.2-2.5-3.0D

AL05026N

24V 65A NO

REPLACING

6033GB3033
BOSCH

MAIN APPLICATION

Scania 113-114

AL05030Y

24V 55A NO

REPLACING

0120469048
BOSCH

MAIN APPLICATION

Eurocargo, Eurostar

AL05031Y

24V 55A NO

REPLACING

0120469982
BOSCH

MAIN APPLICATION

Daf 95XF

AL05032Y

12V 85A PVR5 Standard

REPLACING

0124225020
BOSCH

MAIN APPLICATION

Fortwo 0.8CDI

AL05037Y

12V 80A PVR6 Standard

REPLACING

0123310010
BOSCH

MAIN APPLICATION

Berlingo-Expert-Scudo 1.9D-TD

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL05038Y

24V 90A PVR12 Standard

REPLACING

0123525502
BOSCH

MAIN APPLICATION

Stralis - Cursor 10-13

AL05041Y

12V 120A PVR6 Standard

REPLACING

0124515044
BOSCH

MAIN APPLICATION

Daily III-III 2.798cc

AL05042Y

24V 70A PVR8 Standard

REPLACING

0124555005
BOSCH

MAIN APPLICATION

Eurocargo mot.F4AE..5.880cc

AL05047Y

12V 90A PVR6 Standard

REPLACING

0123320050
BOSCH



MAIN APPLICATION

Fiesta IV, Ka 1.3i

AL05048Y

12V 120A PVR6 Standard

REPLACING

0123505011
BOSCH

MAIN APPLICATION

Golf III, Passat, Sharan 1.9TDI

AL05049Y

12V 75A PVR6 Clutch

REPLACING

0124315027
BOSCH



MAIN APPLICATION

Transit 2.4 DI-DTI

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL05053Y

24V 80A NO

REPLACING

0120468113
BOSCH

MAIN APPLICATION

Daf 85 CF, 95

AL05054Y

12V 120A PVR6 Clutch

REPLACING

0124515022
BOSCH

MAIN APPLICATION

A2, Polo, Fabia 1.2-1.4TDI

AL05055Y

12V 150A PVR6 Standard

REPLACING

A11VI42
VALEO

MAIN APPLICATION

Berlingo, Scudo, Ducato 2.0HDi

AL05056Y

12V 115A PVR6 Clutch

REPLACING

0123510082
BOSCH

MAIN APPLICATION

E-C Klass 200/220 CDI, Sprinter

AL05057Y

12V 140A PVR6 Standard

REPLACING

SG14B012
VALEO

MAIN APPLICATION

A3, A4, A6 Various Engines

AL05061Y

12V 160A PVR6 Clutch

REPLACING

124625003
BOSCH

MAIN APPLICATION

S40 I, V70 I, 1.8-2.0

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL05063Y

12V 80A PVR6 Standard

REPLACING

0124225052
BOSCH



MAIN APPLICATION

Yaris 1.0

AL05077Y

12V 33A V Standard

REPLACING

0120339515
BOSCH



MAIN APPLICATION

Fiat 127-128

AL05078Y

12V 33A NO

REPLACING

0120339531
BOSCH

MAIN APPLICATION

SK - LK/LN2

AL05079Y

12V 70A PVR6 Standard

REPLACING

0123310029
BOSCH



MAIN APPLICATION

Escort VII, Fiesta IV 1.4-1.3i

AL05080Y

12V 90A V Standard

REPLACING

0123315500
BOSCH

MAIN APPLICATION

Daily I, 2.5D - 2.8D

AL05081Y

12V 120A PVR6 Standard

REPLACING

0124515013
BOSCH

MAIN APPLICATION

Transporter IV 2.5TDI

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL05082Y

12V 120A PVR6 Standard

REPLACING

0123315022
BOSCH

MAIN APPLICATION

Serie 3 (E46), 5 (E39) benzina-petrol

AL05083Y

12V 120A PVR6 Standard

REPLACING

0124515080
BOSCH

MAIN APPLICATION

Astra G, Zafira 2.0DTI - 2.2DTI

AL05084Y

12V 140A PVR7 Standard

REPLACING

0124325053
BOSCH

MAIN APPLICATION

Ducato, Daily IV-V, 2.3D M.jet

AL05085Y

12V 150A PVR7 Standard

REPLACING

0124525044
BOSCH

MAIN APPLICATION

Master, Megane 2.5CDTI - 1.9dCi

AL05086Y

12V 150A 18T Clutch

REPLACING

0124615031
BOSCH

MAIN APPLICATION

Transporter V 2.5TDI

AL05087Y

12V 200A PVR6 Clutch

REPLACING

0124625045
BOSCH

MAIN APPLICATION

E-C Klass, 2.2D - 3.2D

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL05088Y

12V 180A 18T Clutch

REPLACING

0124625018
BOSCH

MAIN APPLICATION

Transporter V, Multivan 2.5TDI

AL05089N

12V 90A PVR6 Standard

REPLACING

0123325010
BOSCH

MAIN APPLICATION

Serie 3 (E46), 5 (E39) benzina-petrol

AL05091N

12V 70A PVR5 Standard

REPLACING

0124225041
BOSCH

MAIN APPLICATION

Astra G/H, Corsa C benzina/petrol

AL05092Y

12V 120A PVR5 Standard

REPLACING

0124425010
BOSCH

MAIN APPLICATION

Astra G/H, Corsa C benzina/petrol

AL05093Y

12V 120A PVR5 Clutch

REPLACING

0124425009
BOSCH

MAIN APPLICATION

Astra F/G benzina/petrol

AL05094Y

12V 110A PVR6 Clutch

REPLACING

SG11B010
VALEO

MAIN APPLICATION

BMW serie 1-3 1.6i-2.0i

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL05095N

24V 90A PVR8 Standard

REPLACING

0124655005
BOSCH

MAIN APPLICATION

Eurocargo Tector >2000 F4AE

AL05096N

24V 140A NO _

REPLACING

0120689566
BOSCH

MAIN APPLICATION

Man Bus RH352 - RH402 - Type T1

AL05097N

24V 120A NO _

REPLACING

0120689538
BOSCH

MAIN APPLICATION

Iveco - Type T1

AL05099Y

12V 140A PVR6 Standard

REPLACING

0124525030
BOSCH

MAIN APPLICATION

Astra G, Vectra C 2.0DTI-2.2DTI

AL05101Y

12V 200A PVR6 Clutch

REPLACING

0124625006
BOSCH

MAIN APPLICATION

Sprinter 3.5t, Vito 2.148cc

AL05103Y

12V 90A PVR5 Clutch

REPLACING

0123320036
BOSCH



MAIN APPLICATION

Polo, Ibiza II 1.7SDI-1.9D

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL05104Y

12V 90A PVR7 Standard

REPLACING

0124325102
BOSCH

MAIN APPLICATION

Clio III, Twingo 1.2 16v

AL05105Y

12V 110A PVR6 Standard

REPLACING

0124325158
BOSCH

MAIN APPLICATION

Mini One 1.4 - 1.6

AL05109Y

12V 100A PVR6 Clutch

REPLACING

0124325172
BOSCH

MAIN APPLICATION

Astra H, Insigna 1.9-2.0CDTI

AL05110Y

12V 120A PVR6 Clutch

REPLACING

0124425096
BOSCH

MAIN APPLICATION

Astra H, Zafira 1.9CDTI

AL05112Y

12V 140A PVR6 Clutch

REPLACING

0124425097
BOSCH

MAIN APPLICATION

Astra H, 9-3 1.9CDTI

AL05124N

12V 33A V Standard

REPLACING

0120339512
BOSCH

MAIN APPLICATION

John Deere, Same, Claas

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL05125N

12V 33A NO Standard

REPLACING

0120339536
BOSCH

MAIN APPLICATION

Fendt, Lombardini

AL05126N

12V 120A PVR5 Standard

REPLACING

0124425057
BOSCH

MAIN APPLICATION

Astra H, Corsa D 1.2-1.4

AL05127N

12V 150A PVR6 Clutch

REPLACING

0124525082
BOSCH

MAIN APPLICATION

Clio III, Qashqai 1.5dCi - 1.6i

AL05128N

12V 90A PVR6 Standard

REPLACING

0124225053
BOSCH

MAIN APPLICATION

Yaris 1.3i

AL05134Y

12V 150A PVR6 Clutch

REPLACING

0124615018
BOSCH

MAIN APPLICATION

PT Cruiser 2.2CRD

AL05136Y

12V 150A PVR6 Clutch

REPLACING

0122AAOBOWH
BOSCH

MAIN APPLICATION

E Klass diesel

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL05141Y

12V 105A PVR5 Standard

REPLACING

0124325059
BOSCH

MAIN APPLICATION

Brava, Doblo, Stilo 1.6 16v

AL05142Y

12V 90A PVR5 Standard

REPLACING

0124325058
BOSCH

MAIN APPLICATION

Brava, Doblo, Stilo 1.6 16v

AL05145Y

12V 90A PVR6 Clutch

REPLACING

0123320065
BOSCH



MAIN APPLICATION

C Klass, Sprinter diesel

AL05146Y

12V 150A PVR6 Clutch

REPLACING

0121615002
BOSCH

MAIN APPLICATION

Boxer, Ducato 2.2HDi

AL05147Y

12V 150A PVR7 Clutch

REPLACING

0121615003
BOSCH

MAIN APPLICATION

Transit 2.4TDCi - 3.2TDCi

AL05156Y

12V 85A PVR6 Clutch

REPLACING

0124325024
BOSCH

MAIN APPLICATION

Clio II, Scenic 1.4-1.6

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL05157Y

24V 90A PVR6 Standard

REPLACING

0123525503
BOSCH

MAIN APPLICATION

Iveco Stralis Cursor 10-13

AL05161Y

12V 90A PVR6 Standard

REPLACING

A13VI204
VALEO

MAIN APPLICATION

Berlingo, Scudo, Ducato 1.9D

AL05166Y

12V 85A PVR5 Standard

REPLACING

0124225011
BOSCH

MAIN APPLICATION

Rover 25-45 benzina-petrol

AL05204Y

24V 80A PVR11 Standard

REPLACING

0124555001
BOSCH



MAIN APPLICATION

Actros, Actros MP2

AL05210Y

12V 200A PVR6 Standard

REPLACING

0124625002
BOSCH

MAIN APPLICATION

E Klass diesel

AL05211Y

12V 110A PVR6 Clutch

REPLACING

0124325100
BOSCH



MAIN APPLICATION

Transit 2.4TDI

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL05213Y

12V 100A PVR6 Standard

REPLACING

0123500008
BOSCH

MAIN APPLICATION

Astra G, Vectra B 2.0DTI

AL05214Y

12V 90A PVR6 Standard

REPLACING

0124325013
BOSCH

MAIN APPLICATION

Polo, Lupo, Ibiza benzina-petrol

AL05215Y

12V 200A PVR6 Clutch

REPLACING

0124625019
BOSCH

MAIN APPLICATION

C-E Klass diesel

AL05216Y

24V 90A PVR10 Standard

REPLACING

0123525500
BOSCH

MAIN APPLICATION

Iveco Stralis Cursor 8

AL05227N

12V 70A PVR5 Standard

REPLACING

0124225022
BOSCH

MAIN APPLICATION

Astra G/H, Corsa C benzina-petrol

AL05228Y

12V 90A PVR6 Clutch

REPLACING

0124225055
BOSCH

MAIN APPLICATION

Yaris 1.4D-4D

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL05250Y

12V 120A PVR6 Clutch

REPLACING

0124515115
BOSCH

MAIN APPLICATION

Gran Cherokee II, 2.7CRD

AL05300N

12V 90A PVR6 Standard

REPLACING

0123315023
BOSCH

MAIN APPLICATION

BMW serie 3 316i-318i

AL05301N

12V 90A PVR5 Standard

REPLACING

0124325008
BOSCH

MAIN APPLICATION

Space Star benzina-petrol

AL05302Y

12V 150A PVR6 Clutch

REPLACING

0124615035
BOSCH

MAIN APPLICATION

C Klass, Sprinter diesel

AL05303N

12V 120A PVR6 Standard

REPLACING

0124515046
BOSCH

MAIN APPLICATION

C Klass 2.0 benzina-petrol

AL12002Y

12V 65A V Standard

REPLACING

96566261
DAEWOO

MAIN APPLICATION

Matiz benzina-petrol

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL12008N

12V 65A PVR3 Standard

REPLACING

96567255
DAEWOO

MAIN APPLICATION

Matiz, Spark benzina-petrol F8CV

AL12010Y

12V 65A PVR4 Standard

REPLACING

96289030
DAEWOO

MAIN APPLICATION

Matiz benzina-petrol B10S-B10S1

AL20081N

24V 70A NO _

REPLACING

19020346
DELCO REMY

MAIN APPLICATION

Cummins - type 22SI

AL20082Y

12V 100A PVR6 Standard

REPLACING

10479923
DELCO REMY

MAIN APPLICATION

Astra F, Corsa B benzina-petrol

AL20086Y

12V 190A PVR6 Clutch

REPLACING

A0001501650
MERCEDES

MAIN APPLICATION

E Klass diesel

AL20087Y

12V 75A PVR4 Standard

REPLACING

10480214
DELCO REMY

MAIN APPLICATION

Clio, Kangoo, Twingo 1.2

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL20088Y

12V 190A PVR6 Clutch

REPLACING

A0001501750
MERCEDES

MAIN APPLICATION

C-E Klass diesel

AL20089Y

12V 100A PVR6 Standard

REPLACING

10479914
DELCO REMY

MAIN APPLICATION

Omega B, Vectra B 2.5i V6

AL20090Y

12V 100A PVR6 Standard

REPLACING

10480225
DELCO REMY

MAIN APPLICATION

Astra F/G/H, Corsa benzina-petrol

AL20091Y

12V 100A PVR6 Clutch

REPLACING

8400159
DELCO REMY

MAIN APPLICATION

Astra H, Corsa D 1.7CDTI

AL20092N

12V 140A PVR6 Clutch

REPLACING

8400218
DELCO REMY

MAIN APPLICATION

Astra H, Corsa D 1.7CDTI

AL37001Y

12V 95A PVR5 Standard

REPLACING

93BB10300FD
FORD



MAIN APPLICATION

Mondeo I-II 1.8TD

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL37003Y

12V 124A PVR6 Standard

REPLACING

2015001005
VISTEON



MAIN APPLICATION

Mondeo III

AL37004Y

12V 104A PVR6 Standard

REPLACING

2015001001
VISTEON



MAIN APPLICATION

Fiesta V, Fusion benzina-petrol

AL37007Y

12V 80A PVR6 Clutch

REPLACING

2015001002
VISTEON



MAIN APPLICATION

Fiesta V, Fusion 1.4TDCi

AL37008Y

12V 120A COUPLING _

REPLACING

2015001010
VISTEON



MAIN APPLICATION

Focus, Tourneo, Transit

AL37009Y

12V 90A PVR6 Clutch

REPLACING

2015001004
VISTEON



MAIN APPLICATION

Mondeo III benzina-petrol

AL40002Y

12V 70A V Standard

REPLACING

LR170-420
HITACHI

MAIN APPLICATION

Astra F, Corsa B 1.5TD - 1.7TDS

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL40003Y

12V 70A V Standard

REPLACING

LR170-505
HITACHI

MAIN APPLICATION

Astra F, Corsa B 1.5TDS - 1.7TDS

AL40007Y

12V 100A PVR6 Standard

REPLACING

LR1100-502
HITACHI

MAIN APPLICATION

Astra G, Corsa C, Meriva 1.7TDS

AL40008N

12V 50A PVR2 Standard

REPLACING

LR190-511B
HITACHI

MAIN APPLICATION

Pick up, Terrano diesel

AL40021N

12V 65A PVR6 Standard

REPLACING

LR165-714
HITACHI

MAIN APPLICATION

Micra benzina-petrol

AL40022Y

12V 90A PVR7 Clutch

REPLACING

LR190-752
HITACHI

MAIN APPLICATION

Patrol GR II, Terrano 3.0Dti

AL40026Y

12V 110A PVR6 Clutch

REPLACING

LR1100-508
HITACHI

MAIN APPLICATION

Astra H, Corsa D 1.3CDTi

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL40030Y

12V 135A PVR7 Clutch

REPLACING

LR1130-702
HITACHI

MAIN APPLICATION

Master II, Movano 3.0dCi

AL40032N

12V 40A V Standard

REPLACING

LR140-701
HITACHI

MAIN APPLICATION

Justy I benzina-petrol

AL40426N

12V 50A V Standard

REPLACING

LR140-426
HITACHI

MAIN APPLICATION

Campo diesel

AL40734N

12V 90A V Standard

REPLACING

LR190-734
HITACHI

MAIN APPLICATION

Primera 2.0TD

AL43001N

12V 60A PVR4 Standard

REPLACING

3730002503
HYUNDAI

MAIN APPLICATION

Atos benzina-petrol

AL43002Y

12V 110A PVR4 Clutch

REPLACING

373004A112
HYUNDAI

MAIN APPLICATION

H-1, Sorento 2.5CRDi

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL43003N

12V 80A PVR4 Standard

REPLACING

96652100
DAEWOO

MAIN APPLICATION

Aveo, Kalos 1.2

AL43007N

12V 110A PVR2 Standard

REPLACING

3730042355
HYUNDAI

MAIN APPLICATION

H-1, Starex 2.5TD

AL43009N

12V 90A PVR2 Standard

REPLACING

3730042870
HYUNDAI

MAIN APPLICATION

Galloper I-II 2.5TD

AL43010Y

12V 120A PVR6 Clutch

REPLACING

3730027030
HYUNDAI

MAIN APPLICATION

Santa Fe, Sportage 2.0-2.2CRDi

AL43014Y

12V 110A PVR5 Clutch

REPLACING

373004X500
HYUNDAI

MAIN APPLICATION

Carnival II, Terracan 2.9CRDi

AL46002N

12V 85A PVR5 Standard

REPLACING

0K55318300A
KIA

MAIN APPLICATION

Carnival II 2.9TD

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL46003N

12V 85A PVR2 Standard

REPLACING

3730047451
HYUNDAI

MAIN APPLICATION

H100, Galloper I-II 2.5D-TD

AL46007N

12V 60A PVR2 Standard

REPLACING

0K05418300C
KIA

MAIN APPLICATION

Sportage 2.0TD

AL50067Y

12V 70A V Standard

REPLACING

54022410
MARELLI



MAIN APPLICATION

Fiesta II-III, Orion

AL50069Y

12V 70A V Standard

REPLACING

54022593
MARELLI



MAIN APPLICATION

Escort benzina-petrol

AL50070Y

12V 70A V Standard

REPLACING

54022604
MARELLI



MAIN APPLICATION

Escort, Fiesta benzina-petrol

AL50078Y

12V 70A V Standard

REPLACING

54022585
MARELLI



MAIN APPLICATION

Escort, Fiesta

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL50080Y

12V 70A PVR4 Standard

REPLACING

54022610WP
MARELLI



MAIN APPLICATION

Transit 2.5DI-TD

AL50081Y

12V 70A PVR4 Standard

REPLACING

54022615
MARELLI



MAIN APPLICATION

Transit 2.5DI-TD con pompa-with pump

AL50086Y

12V 70A PVR4 Standard

REPLACING

54022654
MARELLI



MAIN APPLICATION

Primera, Sunny III 1.6

AL50103Y

12V 43A V Standard

REPLACING

LRA103
LUCAS



MAIN APPLICATION

Case

AL55042C

12V 65A V Standard

REPLACING

63321000
MARELLI

MAIN APPLICATION

Panda, Y10 benzina-petrol

AL55043C

12V 65A V Standard

REPLACING

63321165
MARELLI

MAIN APPLICATION

Cinquecento, Panda 0.9

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL55047C

12V 65A V Standard

REPLACING

63321042

MARELLI

USE UNIVERSAL HARNESS
D+ red
B+ Red

MAIN APPLICATION

Daily I, Ducato 2.4D-2.5D

AL55050C

24V 35A V Standard

REPLACING

63320060

MARELLI

USE UNIVERSAL HARNESS
D+ red
B+ Red

MAIN APPLICATION

Eurocargo

AL55051C

24V 35A V Standard

REPLACING

63320025

MARELLI

USE UNIVERSAL HARNESS
D+ red
B+ Red

MAIN APPLICATION

Gamma Z

AL55054C

12V 65A PVR4 Standard

REPLACING

63320017

MARELLI

USE UNIVERSAL HARNESS
D+ red
B+ Red

MAIN APPLICATION

33, 75, 124, 131, Croma

AL55056C

12V 65A PVR4 Standard

REPLACING

63321173

MARELLI

USE UNIVERSAL HARNESS
D+ red
B+ Red

MAIN APPLICATION

Panda, Y10 benzina-petrol

AL55057C

12V 65A V Standard

REPLACING

63320049

MARELLI

USE UNIVERSAL HARNESS
D+ red
B+ Red

MAIN APPLICATION

Ducato, Thema 2.5TD

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL55059C

12V 65A V Standard

REPLACING

63321044

MARELLI

USE UNIVERSAL HARNESS
D+ red
B+ Red

MAIN APPLICATION

Daily II, Ducato 1.9TD-2.5D-2.8D

AL55060C

12V 65A PVR4 Standard

REPLACING

63321156

MARELLI

USE UNIVERSAL HARNESS
D+ red
B+ Red

MAIN APPLICATION

Dedra, Tipo, Uno benzina-petrol

AL55061C

12V 65A V Standard

REPLACING

63321170

MARELLI

USE UNIVERSAL HARNESS
D+ red
B+ Red

MAIN APPLICATION

Twingo 1.2

AL55084Y

12V 75A PVR4 Standard

REPLACING

63321604

MARELLI

USE UNIVERSAL HARNESS
B+ (+) Red
D+ red

MAIN APPLICATION

Punto, Y benzina-petrol

AL55086Y

12V 65A PVR4 Standard

REPLACING

63321600

MARELLI

USE UNIVERSAL HARNESS
B+ (+) Red
D+ red

MAIN APPLICATION

Panda, Punto, Y benzina-petrol

AL55087Y

12V 100A PVR6 Standard

REPLACING

63321332

MARELLI

USE UNIVERSAL HARNESS
B+ (+) Red
D+ red

MAIN APPLICATION

Ducato, Fiorino, Punto diesel

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL55088Y

12V 70A PVR5 Standard

REPLACING

63341695
MARELLI



MAIN APPLICATION

Escort VI-VII, Mondeo 1.8TD

AL55090Y

12V 65A PVR6 Standard

REPLACING

63321615
MARELLI

MAIN APPLICATION

Bravo/a, Punto diesel

AL55092Y

12V 65A PVR5 Standard

REPLACING

63341238
MARELLI

MAIN APPLICATION

Rover 100, 200, 400

AL55093Y

12V 70A PVR5 Standard

REPLACING

63341730
MARELLI



MAIN APPLICATION

Escort VII, Fiesta IV diesel

AL55097Y

12V 65A PVR6 Standard

REPLACING

63321809
MARELLI

MAIN APPLICATION

Barchetta, Bravo/a, Ducato

AL55098Y

12V 75A PVR6 Standard

REPLACING

63321613
MARELLI

MAIN APPLICATION

Bravo, Marea 1.9TD

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL55100Y

12V 65A PVR4 Standard

REPLACING

63321234
MARELLI

MAIN APPLICATION

Punto, Y 1.2

AL55102Y

12V 100A PVR6 Standard

REPLACING

63321802
MARELLI

MAIN APPLICATION

156, Bravo, Marea, Kappa, Lybra

AL55103Y

12V 65A PVR5 Standard

REPLACING

63341727
MARELLI

MAIN APPLICATION

Mini MK1 1.3

AL55104N

12V 65A PVR6 Standard

REPLACING

63341345
MARELLI



MAIN APPLICATION

Transit 2.0

AL55109Y

12V 100A PVR6 Standard

REPLACING

63321803
MARELLI

MAIN APPLICATION

Bravo, Dedra, Lybra

AL55111C

12V 120A PVR6 Clutch

REPLACING

63321859
MARELLI

MAIN APPLICATION

156, Lybra, Kappa, Stilo diesel

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL55112C

12V 120A PVR6 Clutch

REPLACING

63321862
MARELLI

MAIN APPLICATION

156, Stilo, Thesis diesel

AL55115Y

12V 85A PVR5 Standard

REPLACING

63321328
MARELLI

MAIN APPLICATION

Bravo, Delta II, Dedra 1.6 16v

AL55116Y

12V 85A PVR5 Standard

REPLACING

63321765
MARELLI

MAIN APPLICATION

Punto, Ypsilon, Mito 1.2i - 1.4i

AL55117Y

12V 100A PVR6 Standard

REPLACING

63321800
MARELLI

MAIN APPLICATION

145, 146, Delta II benzina-petrol

AL55118N

12V 150A COUPLING Standard

REPLACING

63377418
MARELLI

MAIN APPLICATION

C-Max, Focus II 1.8TDCi

AL55119Y

12V 120A PVR5 Clutch

REPLACING

63377426
MARELLI

MAIN APPLICATION

500, 500L, Grande Punto, Giulietta

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL55120N

12V 105A PVR4 Standard

REPLACING

63377031
MARELLI

MAIN APPLICATION

Punto, Ypsilon, Mito benzina

AL55121Y

12V 85A PVR6 Standard

REPLACING

63321618
MARELLI

MAIN APPLICATION

Bravo/a diesel

AL55124N

12V 80A PVR6 Standard

REPLACING

63377409
MARELLI



MAIN APPLICATION

Focus 1.8-2.0 16v

AL55132Y

12V 75A PVR5 Standard

REPLACING

63377002
MARELLI

MAIN APPLICATION

Panda, Punto Evo, Ypsilon 1.2 - 1.4

AL55133Y

12V 120A PVR6 Clutch

REPLACING

63377495
MARELLI



MAIN APPLICATION

Astra H, Corsa C, Mito 1.3 M.jet

AL55134Y

12V 120A PVR6 Clutch

REPLACING

63377028
MARELLI

MAIN APPLICATION

Bipper, 500, 500C, Mito 1.3 M.jet

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL55137Y

12V 90A COUPLING Standard

REPLACING

63341711
MARELLI

MAIN APPLICATION

Fiesta IV, 1.8DI

AL55138Y

12V 90A COUPLING Standard

REPLACING

63377412
MARELLI



MAIN APPLICATION

Focus 1.8TDCi

AL55140Y

12V 105A PVR6 Clutch

REPLACING

63321826
MARELLI

MAIN APPLICATION

Bravo, Doblò, Multipla 1.9JTD

AL55153Y

12V 120A PVR6 Clutch

REPLACING

63377004
MARELLI

MAIN APPLICATION

159, Croma, Zafira diesel

AL55154Y

12V 140A PVR6 Clutch

REPLACING

63377005
MARELLI

MAIN APPLICATION

159, Delta III, Zafira, Sx4 diesel

AL55155Y

12V 105A PVR6 Clutch

REPLACING

63377492
MARELLI



MAIN APPLICATION

Astra H, Croma 1.9M.jet

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL55158C

12V 130A PVR6 Clutch

REPLACING

63377491
MARELLI



MAIN APPLICATION

Astra H, 9-3 1.9CDTI

AL55163Y

12V 75A PVR4 Standard

REPLACING

63341658
MARELLI



MAIN APPLICATION

Fortwo 0.6 - 0.7

AL55165Y

12V 150A PVR6 Clutch

REPLACING

3M5T10300PB
FORD



MAIN APPLICATION

Fiesta V, Focus II, C-Max 1.6-2.0TDCi

AL55166Y

12V 65A PVR5 Standard

REPLACING

63321493
MARELLI

MAIN APPLICATION

Croma, Ducato, Fiorino 1.7D - 1.9D

AL55167Y

12V 80A PVR6 Standard

REPLACING

63377410
MARELLI



MAIN APPLICATION

Focus, Focus II benzina-petrol

AL55168Y

12V 65A PVR6 Standard

REPLACING

63321833
MARELLI

MAIN APPLICATION

Doblò, Palio 1.9D - 1.9JTD

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL55177Y

12V 90A PVR6 Standard

REPLACING

0124320001
BOSCH

MAIN APPLICATION

Daily III

AL55180N

12V 90A PVR6 Standard

REPLACING

63321836
MARELLI

MAIN APPLICATION

145, 146, Stilo, Lybra benzina-petrol

AL55192Y

12V 105A COUPLING Standard

REPLACING

63377421
MARELLI



MAIN APPLICATION

C-Max, Focus II 1.8TDCi

AL55193Y

12V 75A PVR4 Standard

REPLACING

63341896
MARELLI



MAIN APPLICATION

Smart Cabrio, CityCoupè 0.6

AL55194Y

12V 90A PVR4 Standard

REPLACING

63377011
MARELLI

MAIN APPLICATION

500, Panda, Ypsilon benzina-petrol

AL55195Y

12V 105A PVR6 Clutch

REPLACING

63377424
MARELLI

MAIN APPLICATION

Astra H, Corsa D 1.3CDTi

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL55196Y

12V 80A PVR6 Standard

REPLACING

102211-8730
DENSO

MAIN APPLICATION

107, Aygo, C1 1.0

AL55204Y

12V 75A PVR5 Standard

REPLACING

63321617
MARELLI

MAIN APPLICATION

Ducato 1.9D - 1.9TD

AL55218Y

12V 150A PVR5 Clutch

REPLACING

63377015
MARELLI

MAIN APPLICATION

159, Brera, Croma 2.4JTDM

AL55225Y

12V 90A PVR4 Standard

REPLACING

63321760
MARELLI

MAIN APPLICATION

Seicento 1.1

AL55230Y

12V 120A PVR5 Clutch

REPLACING

101210-1670
DENSO

MAIN APPLICATION

500, Panda, Mito Twinair 875cc

AL55232Y

12V 100A PVR6 Clutch

REPLACING

63377017
MARELLI

MAIN APPLICATION

159, Bravo, Delta III, Doblò Multijet

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL55233N

12V 65A PVR4 Standard

REPLACING

63321610
MARELLI

MAIN APPLICATION

Brava, Bravo 1.4 12v

AL55240Y

12V 90A PVR6 Clutch

REPLACING

63321819
MARELLI

MAIN APPLICATION

Doblò, Punto, Stilo 1.9JTD

AL55250Y

12V 120A PVR6 Clutch

REPLACING

63377018
MARELLI

MAIN APPLICATION

159, Ducato, Bravo 1.8TBi - 1.9JTDM

AL60001Y

12V 95A PVR4 Standard

REPLACING

A3TN1791
MITSUBISHI

MAIN APPLICATION

Transit 2.5DI

AL60003N

12V 60A V Standard

REPLACING

A2T01483
MITSUBISHI

MAIN APPLICATION

L200, Pajero 2.5D - 2.5TD

AL60006N

12V 65A V Standard

REPLACING

A2T27883
MITSUBISHI

MAIN APPLICATION

L300, Pajero II 2.5D - 2.5TD

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL60010N

12V 75A PVR2 Standard

REPLACING

A2TN1199
MITSUBISHI

MAIN APPLICATION

L200, L400, Pajero II 2.5TD

AL60011N

12V 65A PVR2 Standard

REPLACING

A2T82899
MITSUBISHI

MAIN APPLICATION

L200, L300, L400, Pajero II 2.5TD

AL60012N

12V 45A PVR2 Standard

REPLACING

A5T23784
MITSUBISHI



MAIN APPLICATION

L200, Galant II, Pajero I 2.3D - 2.5D

AL60014N

12V 50A PVR4 Standard

REPLACING

A1T02991
MITSUBISHI

MAIN APPLICATION

Swift II, Vitara 1.3 - 1.6

AL60020N

12V 90A PVR2 Standard

REPLACING

A3TN0699
MITSUBISHI

MAIN APPLICATION

H1, Pajero II 2.5TD

AL60021N

12V 60A PVR2 Standard

REPLACING

LR160728
HITACHI

MAIN APPLICATION

Pick up 2.5D - 2.5TD - 2.7D

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL60023N

12V 65A PVR2 Standard

REPLACING

A2TN0399
MITSUBISHI

MAIN APPLICATION

L300 2.5D

AL60032Y

12V 110A PVR5 Clutch

REPLACING

A2TB6481
MITSUBISHI

MAIN APPLICATION

Clio II, Kangoo, Micra 1.5dCi

AL60033N

12V 90A PVR6 Standard

REPLACING

A5TA7792
MITSUBISHI



MAIN APPLICATION

Mazda 2, Fiesta V benzina-petrol

AL60034N

12V 75A PVR2 Standard

REPLACING

F8RU-10300-BA
FORD

MAIN APPLICATION

B-Serie, Ranger 2.5D - 2.5TD

AL60035Y

12V 150A PVR7 Clutch

REPLACING

A3TJ0781
MITSUBISHI

MAIN APPLICATION

Navara, Pathfinder 2.5dCi

AL60036N

12V 70A PVR6 Standard

REPLACING

A5TA7692
MITSUBISHI



MAIN APPLICATION

Mazda 2, Fiesta V benzina-petrol

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL60039Y

12V 105A PVR6 Clutch

REPLACING

A3TN2481
MITSUBISHI

MAIN APPLICATION

Pajero III 2.5TDi - 2.8TDi

AL60043Y

12V 100A PVR6 Clutch

REPLACING

A3TN2581
MITSUBISHI

MAIN APPLICATION

Jimny 1.5DDiS

AL60049N

12V 90A PVR2 Standard

REPLACING

A3TA3098
MITSUBISHI

MAIN APPLICATION

Pajero II 2.8TD

AL60051N

12V 80A PVR2 Standard

REPLACING

A2TB1298
MITSUBISHI

MAIN APPLICATION

323, 626 2.0D - 2.0TD

AL72006N

12V 40A V Standard

REPLACING

100211-1630
DENSO

MAIN APPLICATION

Cuore, Piaggio Porter 0.8 - 1.0

AL72009N

12V 50A PVR2 Standard

REPLACING

100210-2600
DENSO



MAIN APPLICATION

Hiace I/II, Landcruiser 2.2D - 2.4TD

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL72011N

12V 45A PVR2 Standard

REPLACING

100211-6730
DENSO

MAIN APPLICATION

Feroza, Piaggio Porter 1.3i - 1.6i

AL72015Y

12V 110A PVR6 Clutch

REPLACING

121000-3843
DENSO

MAIN APPLICATION

Cherokee 2.5CRD - 2.8CRD

AL72016Y

12V 130A PVR5 Clutch

REPLACING

104210-3250
DENSO



MAIN APPLICATION

Avensis, Rav4 2.0D-4D

AL72017Y

12V 100A PVR5 Clutch

REPLACING

104210-3430
DENSO

MAIN APPLICATION

Avensis, Corolla 2.0D-4D

AL72018Y

12V 160A PVR6 Clutch

REPLACING

421000-0084
DENSO

MAIN APPLICATION

Voyager III 2.5CRD - 2.8CRD

AL72022Y

12V 130A PVR8 Clutch

REPLACING

121000-4390
DENSO

MAIN APPLICATION

Gran Cherokee 2.5Tdi - 3.1TD

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL72023Y

12V 100A PVR7 Clutch

REPLACING

104210-3730
DENSO

MAIN APPLICATION

One diesel

AL72025N

12V 40A V Standard

REPLACING

100211-4730
DENSO

MAIN APPLICATION

Bobcat, Kubota

AL72026Y

12V 70A PVR4 Standard

REPLACING

102211-5260
DENSO

MAIN APPLICATION

Yaris, Yaris verso 1.4D-4D

AL72030Y

12V 90A PVR5 Clutch

REPLACING

102211-2780
DENSO

MAIN APPLICATION

Yaris, Yaris verso 1.4D-4D

AL72031N

12V 85A PVR3 Standard

REPLACING

100211-2310
DENSO

MAIN APPLICATION

Crx, Integra benzina-petrol

AL72033N

12V 105A PVR6 Standard

REPLACING

102211-2223
DENSO

MAIN APPLICATION

One, Cooper benzina-petrol

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL72036Y

12V 150A PVR8 Clutch

REPLACING

104210-3710
DENSO



MAIN APPLICATION

Discovery, Range Rover 2.7TDVM

AL72038Y

12V 100A PVR6 Clutch

REPLACING

104210-4101
DENSO



MAIN APPLICATION

C-MAX, Focus II 1.8 - 2.0

AL72039Y

12V 100A PVR7 Clutch

REPLACING

104210-4521
DENSO



MAIN APPLICATION

Auris, Avensis 2.0D-4D - 2.2D-4D

AL72040Y

12V 130A PVR7 Clutch

REPLACING

104210-3911
DENSO



MAIN APPLICATION

CRV III, Accord VIII 2.2CTDi

AL72041Y

12V 120A PVR6 Clutch

REPLACING

104210-3760
DENSO



MAIN APPLICATION

C-MAX, Focus II 1.8 - 2.0

AL72042Y

12V 90A PVR6 Standard

REPLACING

102211-8010
DENSO

MAIN APPLICATION

Yaris >09.05 benzina-petrol

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL72043Y

12V 150A PVR6 Clutch

REPLACING

104210-2750
DENSO



MAIN APPLICATION

C-MAX, Focus II 1.8 - 2.0

AL72044Y

12V 105A PVR6 Standard

REPLACING

102211-8355
DENSO



MAIN APPLICATION

C-MAX, Focus II 1.4 16v - 1.6 16v

AL72045Y

12V 150A PVR7 Clutch

REPLACING

104210-2370
DENSO



MAIN APPLICATION

Rav III, Rav IV 2.0D-4D - 2.2D-4D

AL72046Y

12V 130A PVR7 Clutch

REPLACING

104210-4591
DENSO



MAIN APPLICATION

Avensis, Rav III 2.0D-4D - 2.2D-4D

AL72049N

12V 35A V Standard

REPLACING

101211-3720
DENSO

MAIN APPLICATION

Artic Cat, Piaggio 686cc

AL72057Y

12V 100A PVR7 Clutch

REPLACING

104210-3410
DENSO



MAIN APPLICATION

Land Cruiser 3.0D-4D

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL72099N

12V 70A PVR4 Standard

REPLACING

101211-0720
DENSO

MAIN APPLICATION

Baleno, Ignis II, Jimny benzina-petrol

AL72108N

12V 120A PVR7 Standard

REPLACING

100213-2391
DENSO

MAIN APPLICATION

Defender 2.5Td5

AL72110N

12V 120A V Standard

REPLACING

102211-0670
DENSO



MAIN APPLICATION

Avensis >02.03, Corolla 1.9D - 2.0D

AL72112Y

12V 85A PVR7 Clutch

REPLACING

104210-8020
DENSO

MAIN APPLICATION

Hilux, Land Cruiser 2.5-3.0D-4D

AL72114Y

12V 100A PVR6 Clutch

REPLACING

100213-2950
DENSO

MAIN APPLICATION

Accent, Getz 1.5CRDi

AL72115Y

12V 150A PVR6 Clutch

REPLACING

104210-4240
DENSO

MAIN APPLICATION

Cherokee 2.8CRD

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL75010Y

12V 60A V Standard

REPLACING

A13N157
VALEO

MAIN APPLICATION

19, Clio I 1.2 - 1.4

AL75012Y

12V 90A PVR5 Standard

REPLACING

A13VI141
VALEO

MAIN APPLICATION

106 II, Saxo benzina-petrol

AL75013Y

12V 90A PVR3 Standard

REPLACING

A14N156
VALEO

MAIN APPLICATION

19, Clio I 1.2 - 1.4

AL75021N

12V 105A PVR6 Standard

REPLACING

0124415030
BOSCH



MAIN APPLICATION

Transit 2.0DI

AL90001Y

12V 70A V Standard

REPLACING

A11VI11
VALEO

MAIN APPLICATION

106 II, 206, Saxo benzina-petrol

AL90003Y

12V 75A PVR6 Standard

REPLACING

A11VI88
VALEO

MAIN APPLICATION

Clio II, Megane 1.9D - 1.9dTi

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL90004Y

12V 80A PVR6 Standard

REPLACING

A13VI72
VALEO

MAIN APPLICATION

Ducato 2.5TDi - 2.8TDi

AL90007Y

12V 95A PVR6 Standard

REPLACING

A13VI231
VALEO

MAIN APPLICATION

Berlingo, Ducato 1.9SD - 2.1TD

AL90008Y

12V 150A PVR6 Clutch

REPLACING

A14VI35
VALEO

MAIN APPLICATION

Boxer, Jumper 2.0HDi - 2.2HDi

AL90009Y

12V 90A PVR5 Clutch

REPLACING

A13VI202
VALEO

MAIN APPLICATION

A Klass - Vaneo

AL90010Y

12V 120A PVR6 Standard

REPLACING

A14VI13
VALEO

MAIN APPLICATION

Boxer, Scudo, Jumper diesel

AL90013Y

12V 120A PVR6 Clutch

REPLACING

SG10B019
VALEO

MAIN APPLICATION

Espace III, Scenic 1.9dTi

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL90014Y

12V 90A PVR6 Standard

REPLACING

0123320010
BOSCH



MAIN APPLICATION

C-E Klass, Sprinter

AL90016Y

12V 70A PVR5 Standard

REPLACING

A11VI45
VALEO

MAIN APPLICATION

106 II, Saxo 1.5D

AL90018Y

12V 70A PVR6 Standard

REPLACING

A11VI91
VALEO

MAIN APPLICATION

206, Berlingo, Jumpy, Partner

AL90023Y

12V 110A PVR6 Standard

REPLACING

A13VI73
VALEO

MAIN APPLICATION

Boxer, Ducato, Jumper 2.5-2.8TDi

AL90025Y

12V 70A PVR6 Standard

REPLACING

A11VI106
VALEO

MAIN APPLICATION

206, Berlingo, Xsara benzina-petrol

AL90028N

12V 170A PVR6 Standard

REPLACING

TG17C010
VALEO

MAIN APPLICATION

Serie 5 (E60/E61) diesel

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL90029Y

12V 150A PVR5 Standard

REPLACING

SG15S030
VALEO

MAIN APPLICATION

Serie 5 (E39) diesel

AL90031Y

12V 90A PVR5 Standard

REPLACING

A13VI237
VALEO

MAIN APPLICATION

A Klass, Vaneo

AL90036Y

12V 90A PVR6 Standard

REPLACING

0123310020
BOSCH



MAIN APPLICATION

Golf III-IV, Passat benzina-petrol

AL90038Y

12V 120A PVR5 Standard

REPLACING

A14VI28
VALEO

MAIN APPLICATION

Serie 3 (E46), Serie 5 (E39) diesel

AL90039Y

12V 110A PVR5 Clutch

REPLACING

TG11C011
VALEO

MAIN APPLICATION

Clio II, Megane II, Micra 1.5dCi - 1.6i

AL90040Y

12V 125A PVR5 Clutch

REPLACING

SG12B038
VALEO

MAIN APPLICATION

Clio II, Trafic II 1.5dCi - 1.9dCi

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL90041Y

12V 125A PVR6 Clutch

REPLACING

SG12B017
VALEO

MAIN APPLICATION

Laguna II, Movano 1.9dCi - 2.2DTI

AL90042Y

12V 150A PVR5 Clutch

REPLACING

SG15L012
VALEO

MAIN APPLICATION

A Klass, Vaneo

AL90044N

12V 100A PVR5 Standard

REPLACING

A13VI234
VALEO

MAIN APPLICATION

Freelander 2.0Td4

AL90045Y

12V 110A PVR6 Standard

REPLACING

A13VI195
VALEO

MAIN APPLICATION

Clio II, Megane 1.9D

AL90046Y

12V 120A PVR6 Standard

REPLACING

SG12B040
VALEO

MAIN APPLICATION

Boxer, Ducato, Jumper 2.8HDi-JTD

AL90047Y

12V 150A PVR6 Clutch

REPLACING

TG15C028
VALEO

MAIN APPLICATION

C2, C3, C4, Jumpy 1.6HDi - 2.0HDi

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL90048N

12V 90A PVR6 Standard

REPLACING

SG9B054
VALEO

MAIN APPLICATION

Boxer, Ducato, Jumper 2.8HDi-JTD

AL90049Y

12V 140A PVR6 Clutch

REPLACING

0124525039
BOSCH

MAIN APPLICATION

A1, A3, A4 1.6TDI - 2.0TDI

AL90050Y

12V 125A PVR7 Standard

REPLACING

SG12B098
VALEO

MAIN APPLICATION

Primera, Scenic II 1.9dCi - 2.0 16v

AL90052Y

12V 125A PVR6 Standard

REPLACING

SG12B030
VALEO

MAIN APPLICATION

Laguna II, Movano, Vivaro

AL90054Y

12V 120A PVR7 Clutch

REPLACING

TG12C077
VALEO

MAIN APPLICATION

Clio, Nuova Megane, Kadjar 1.2 Tce

AL90055Y

12V 70A PVR6 Standard

REPLACING

A13VI49
VALEO

MAIN APPLICATION

405 II, Ducato, Berlingo 1.8D - 1.9D

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL90057Y

12V 90A PVR6 Standard

REPLACING

A13VI101
VALEO

MAIN APPLICATION

306, 406, 806, Xsara benzina-petrol

AL90063Y

12V 90A PVR5 Standard

REPLACING

A13VI273
VALEO

MAIN APPLICATION

106 I-II, Saxo 1.5D

AL90065Y

12V 80A PVR6 Standard

REPLACING

A13VI203
VALEO

MAIN APPLICATION

206, Berlingo, Jumpy, Scudo

AL90069Y

24V 60A NO _

REPLACING

A14N208M
VALEO



MAIN APPLICATION

FH 12 340-380-420

AL90070Y

12V 75A PVR6 Clutch

REPLACING

TG9S011
VALEO

MAIN APPLICATION

500, Corsa C, Panda, Punto 1.3M.jet

AL90071Y

12V 140A PVR5 Clutch

REPLACING

SG14B011
VALEO

MAIN APPLICATION

A4, A6, Passat 1.9TDI

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL90072Y

12V 90A PVR6 Clutch

REPLACING

TG9S010
VALEO

MAIN APPLICATION

Corsa D, Mito, Panda, Punto 1.3M.jet

AL90073N

12V 70A PVR6 Standard

REPLACING

A11VI95
VALEO

MAIN APPLICATION

Arosa, Polo benzina-petrol

AL90074Y

12V 80A PVR6 Standard

REPLACING

A13VI282
VALEO

MAIN APPLICATION

207, 307, C2, C3, C4 benzina-petrol

AL90075N

12V 90A PVR6 Standard

REPLACING

TG9S037
VALEO

MAIN APPLICATION

500, Panda, Punto, Musa 1.3D M.jet

AL90076Y

12V 150A PVR5 Standard

REPLACING

TG15C012
VALEO

MAIN APPLICATION

Serie 3 (E46) >05, X3 (E53) diesel

AL90077Y

12V 150A PVR5 Standard

REPLACING

A14VI46
VALEO

MAIN APPLICATION

Serie 3 (E46) >05 diesel

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL90081N

12V 80A PVR5 Standard

REPLACING

A13VI288
VALEO

MAIN APPLICATION

106 II, Berlingo, Partner 1.4 - 1.6

AL90083Y

12V 95A PVR5 Standard

REPLACING

A13VI150
VALEO

MAIN APPLICATION

Serie 5 (E39), Serie 7 (E38) diesel

AL90084Y

12V 90A PVR6 Standard

REPLACING

A13VI242
VALEO

MAIN APPLICATION

206, 307, 406, C5 benzina-petrol

AL90085N

12V 120A PVR6 Standard

REPLACING

A13VI238
VALEO

MAIN APPLICATION

Kangoo, Laguna 1.9dCi

AL90086Y

12V 150A PVR6 Standard

REPLACING

A11VI40
VALEO

MAIN APPLICATION

207, 307, C2, C3, C4 1.6HDi - 2.0 16V

AL90088Y

12V 150A PVR5 Clutch

REPLACING

TG15C121
VALEO

MAIN APPLICATION

A Klass, B Klass diesel

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL90093Y

12V 110A PVR7 Standard

REPLACING

TG11C010
VALEO

MAIN APPLICATION

Scenic, Megane II 1.9dCi - 2.0 16v

AL90094Y

12V 80A PVR6 Standard

REPLACING

A13VI276
VALEO

MAIN APPLICATION

206, 307, 406, C4, C5 benzina-petrol

AL90095Y

12V 150A PVR6 Standard

REPLACING

SG15S032
VALEO



MAIN APPLICATION

Boxer, Ducato, Jumper 2.8HDi-JTD

AL90096Y

12V 150A PVR6 Standard

REPLACING

TG15C023
VALEO

MAIN APPLICATION

Berlingo, Partner 2.0HDi

AL90100Y

12V 180A PVR6 Clutch

REPLACING

FG18S017
VALEO

MAIN APPLICATION

308, 407, C4, C5, C6 diesel HDi

AL90101Y

12V 180A PVR6 Clutch

REPLACING

FG18S022
VALEO

MAIN APPLICATION

Daily III, Ducato 3.0D M.jet

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL90102N

12V 120A PVR6 Standard

REPLACING

A14VI37
VALEO

MAIN APPLICATION

Ducato 2.5TDI - 2.8TDI

AL90103N

12V 180A PVR7 Standard

REPLACING

FG18S109
VALEO

MAIN APPLICATION

Daily III, Ducato 2.3D M.jet

AL90104N

12V 180A PVR6 Standard

REPLACING

FG18S078
VALEO

MAIN APPLICATION

C-E Klass, Sprinter diesel

AL90105Y

12V 120A PVR6 Clutch

REPLACING

TG12S101
VALEO

MAIN APPLICATION

Bipper, Panda, Punto Evo 1.3D M.jet

AL90106Y

12V 180A PVR6 Clutch

REPLACING

FG18S012
VALEO

MAIN APPLICATION

C-E Klass, Sprinter diesel

AL90107N

12V 50A NO _

REPLACING

A13N148M
VALEO



MAIN APPLICATION

Volvo, Bukh marine

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL90108Y

12V 180A PVR7 Clutch

REPLACING

FG18S093
VALEO

MAIN APPLICATION

Daily V, Ducato 2.3D M.jet

AL90109Y

12V 150A PVR6 Clutch

REPLACING

TG15C146
VALEO

MAIN APPLICATION

Clio III, Megane II 1.5dCi - 1.6 16v

AL90110N

12V 140A PVR6 Standard

REPLACING

SG12B039
VALEO

MAIN APPLICATION

Serie 3 (E46), Z3

AL90111Y

12V 110A PVR6 Clutch

REPLACING

TG11C064
VALEO

MAIN APPLICATION

Clio II, Megane II, Qashqai 1.5dCi

AL90123N

12V 70A PVR3 Standard

REPLACING

A11VI110
VALEO

MAIN APPLICATION

Clio II, Twingo benzina-petrol

AL90127Y

12V 90A PVR6 Standard

REPLACING

SG9B048
VALEO

MAIN APPLICATION

Ibiza IV, Polo 1.2

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL90130Y

12V 120A PVR7 Clutch

REPLACING

SG12B062
VALEO

MAIN APPLICATION

C Klass benzina-petrol

AL90131N

12V 155A PVR7 Standard

REPLACING

SG15L020
VALEO

MAIN APPLICATION

Espace IV, Megane II 1.9dCi - 2.0

AL90138N

12V 75A PVR6 Standard

REPLACING

TG8S010
VALEO

MAIN APPLICATION

Punto, Panda, Mito 1.3D M.jet

AL90139N

12V 120A PVR6 Standard

REPLACING

0124515056
BOSCH

MAIN APPLICATION

C-M Klass benzina-petrol

AL90140N

12V 150A PVR6 Standard

REPLACING

TG15C027
VALEO

MAIN APPLICATION

Serie 1 (E87), Serie 3 (E90-91) diesel

AL90142N

12V 180A PVR6 Standard

REPLACING

TG17C022
VALEO

MAIN APPLICATION

A6, Q7, Tuareg diesel

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL90143Y

12V 150A PVR7 Clutch

REPLACING

TG15C058
VALEO

MAIN APPLICATION

Primastar dCi90 - dCi120

AL90144Y

12V 110A PVR6 Clutch

REPLACING

TG11C041
VALEO

MAIN APPLICATION

Megane II, Scenic II benzina-petrol

AL90146Y

12V 180A PVR6 Clutch

REPLACING

TG17C041
VALEO

MAIN APPLICATION

Sprinter, Vito diesel

AL90150N

12V 75A V Standard

REPLACING

A14N163
VALEO

MAIN APPLICATION

Master, Messenger, Trafic diesel

AL90151N

12V 50A V Standard

REPLACING

A13N175
VALEO

MAIN APPLICATION

205 II, 309 II, AX, BX benzina-petrol

AL90163N

12V 120A PVR6 Standard

REPLACING

A14VI10
VALEO

MAIN APPLICATION

405, Boxer, Ducato, Evasion, Ulysse

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale

AL90168Y

12V 180A PVR7 Clutch

REPLACING

TG17C026
VALEO

MAIN APPLICATION

300C, 300C Touring 3.0CRD

AL90171Y

12V 90A PVR6 Clutch

REPLACING

TG10B013
VALEO

MAIN APPLICATION

Berlingo, Boxer, Ducato, Jumper

AL90172Y

12V 180A PVR7 Clutch

REPLACING

TG17C028
VALEO

MAIN APPLICATION

C-E-M Klass diesel

AL90174N

12V 180A PVR8 Clutch

REPLACING

TG17C032
VALEO

MAIN APPLICATION

M-R Klass diesel

AL90300N

12V 90A PVR4 Standard

REPLACING

AB190058
MANDO

MAIN APPLICATION

Accent, Lantra II benzina-petrol

ST05002Y

12V 1,4KW 9T CW

REPLACING

0001108239
BOSCH



MAIN APPLICATION

159, Croma, Delta III, Punto diesel

CW= Clockwise-Orario CCW = Counter Clockwise-Antiorario T=Teeth-Denti PVR= Poly V Ribs-Puleggia Multigole
Clutch = Clutch Pulley-Puleggia Frizionata Standard = Normal pulley-puleggia normale